

CONTENTS

— Reviews —

Kawazoe, K., and Shibuya, H. : Optical Property of Alkaloids Isolated from Marine Sponge	1
Sugihara, N., and Furuno, K. : Mechanisms of the disposition of a weak basic drug in rats with chemical liver injury -The influence of plasma α_1 -acid glycoprotein concentration-	29

— Original articles —

Ueki, H., Ohkura, Y., Motoyashiki, T., Tominaga, N., and Morita, T. : Increase in Lipoprotein Lipase Activity in Isolated Rat Adipose Tissue by Selenate	43
Hickey, A. J., Tian, Y., Parasrampuria, D., and Kanke, M. : BILIARY ELIMINATION OF BROMSULPHTHALEIN, PHENOLPHTHALEIN, AND DOXORUBICIN RELEASED FROM MICROSPHERES FOLLOWING INTRAVENOUS ADMINISTRATION	44
Tanaka, T., Kaneo, Y., Shiramoto, S., and Iguchi, S. : The Disposition of Serum Proteins as Drug-Carriers in Mice Bearing Sarcoma 180	46
Tomida, H., Mizuo, C., Nakamura, C., and Kiryu, S. : Imipramine Release from Ca-Alginate Gel Beads	48
Tomida, H., Nakamura, C., yoshitomi, H., and Kiryu, S. : Preparation of Theophylline-Loaded Calcium Alginate Gel Capsules and Evaluation of Their Drug Release Characteristics	49
Yamashita, T., Hirose, J., Noji, M., Saito, R., Tomida, H., and Kidani, y. : Cytotoxicity of Platinum (IV) and Platinum (II) complexes Containing 1 <i>R</i> ,2 <i>R</i> -Cyclohexanediamine as a Ligand	51
Hashimoto, K., Maeda, H., Hirai, K., and Goromaru, T. : Drug effects on distribution of [³ H] 3,4-methylenedioxymethamphetamine in mice	53
Goromaru, T., Maeda, H., Matsuki, Y., and Kiwada, H. : Isotopic Fractionation of Aminopyrine from Its Deuterated Analogues and Application for Evaluation of Hepatic Function by Capillary Gas Chromatography	55

Nakamura,A., Nakanishi,H., and Shiomi,H. : Characterization of the Release and Metabolism of Delta Sleep-inducing Peptide (DSIP) in the Rat Brain	57
Kitagawa,I., Minagawa,K., Zhang,R., Hori,K., Doi,M., Inoue,M., Ishida, T. Kimura,M., Uji,T., and Shibuya,H. : Dehydrin, an Antimalarial Bisbenzylisoquinoline Alkaloid from the Indonesian Medicinal Plant <i>Beilschmiedia madang</i> , Isolated as a Mixture of Two Rotational Isomers	59
Shibuya,H., Kurosu,M., Minagawa,K., Katayama,S., and Kitagawa,I. : Sphingolipids and Glycerolipids. IV. Syntheses and Ionophoretic Activities of Several Analogues of Soya-cerebroside II, a Calcium Ionophoretic Sphingolipid Isolated from Soybean	61
Yoshikawa,M., Harada,E., Aoki,S., Yamahara,J., Murakami,N., Shibuya, H., and Kitagawa,I. : Indonesian Medicinal Plants. VI. On the Chemical Constituents of the Bark of <i>Picrasma javanica</i> BL. (Simaroubaceae) from Flores Island. Absolute Stereostructures of Picrajanins A and B	63
Shibuya,H., Ohashi,K., Narita,N., Hori,K., Kawanishi,H., Ishida,T and Kitagawa,I. : Chemical Transformation of Terpenoids. IX. Ionophoretic Activities of Macroyclic Lactone Epoxides Synthesized from <i>E,E</i> -Farnesol	64
Kobayashi,M., Aoki,S., Sakai,H., Kawazoe,K., Kihara,N., Sasaki,T., and Kitagawa,I. : Altohyrtin A, A Potent Anti-tumor Macrolide from the Okinawan Marine Sponge <i>Hyrtios altum</i>	66
Ueda,T., Abe,Y., Akasaki,K., Yamaguchi,Y., Tsuji,H., Kawano,K., Yamada,H., and Imoto,T. : Detection of subtle differences in the surface structure of lysozymes by use of an immobilized Fab fragment	67
Akasaki,K., Fukuzawa,M., Kinoshita,H., Furuno,K., and Tsuji,H. : Cycling of Two Endogenous Lysosomal Membrane Proteins, Lamp-2 and Acid Phosphatase, between the Cell Surface and Lysosomes in Cultured Rat Hepatocytes	69
Tsuruta,Y., Tonogaito,H., Date,Y., Sugino,E., and Kohashi,K. : 4-(2-Phtha limidyl)benzohydrazide as Fluorescent Labeling Reagent for Aliphatic Aldehydes in High-Performance Liquid Chromatography	71
Tsuruta,Y., Teranishi,T., Date,Y., and Kohashi,K. : Simultaneous	

determination of cholesterol and cholestanol in human serum by high-performance liquid chromatography using 3-(5,6-methylenedioxy-2-phthalimidyl)benzoyl azide as precolumn fluorescent labelling reagent	72
Kim,S., Makino,K., Amemura,M., Shinagawa,H., and Nakata,A. :	
Molecular Analysis of the <i>phoH</i> Gene, Belonging to the Phosphate Regulon in <i>Escherichia coli</i>	74
Shiba,T., Iwasaki,H., Nakata,A., and Shinagawa,H. : <i>Escherichia coli</i> RuvA and RuvB Proteins Involved in Recombination Repair : Physical Properties and Interactions with DNA	76
Hirota,K., Hashida,S., Hashinaka,K., Kohno,T., Saitoh,A., Shinagawa,H., Nakata,A. Oka,S., Shimada,K., and Ishikawa,E. : Sensitive Enzyme Immunoassay (Immune Complex Transfer Enzyme Immunoassay) for Antibodies to Reverse Transcriptase (RT) of Human Immunodeficiency Virus Type 1 (HIV-1) Using Recombinant RT of HIV-1 as Antigen	78
Hashida,S., Hirota,K., Hashinaka,K., Saitoh,A., Nakata,A., Shinagawa,H., Oka,S., Shimada,K., Mimaya,J., Matsushita,S., and Ishikawa,E. :	
Detection of Antibody IgG to HIV-1 in Urine by Sensitive Enzyme Immunoassay (Immune Complex Transfer Enzyme Immunoassay) Using Recombinant Proteins as Antigens for Diagnosis of HIV-1 Infection	80
Morimoto,M., Saitoh,A., Ueba,N., Nakata,A., and Shinagawa,H. : Use of the Recombinant Chimera Proteins, LacZ-Env and Gag-Env, for Immunological Studies on HIV-1 Infection	82
Fujita,K., Ohta,K., Okabe,Y., Ishizu,T., Yamamoto,T., Minamiura,N., and Pitha,J. : Selective Preparation of Substituted Maltooligosaccharides through Enzymatic Hydrolysis of Substituted β -Cyclodextrins by Bacterial α -Amylase (Saccharifying Type)	84
Ishizu,T., Fujii,A., and Noguchi,S. : Conformational Studies of Cyclo (L-Phe-L-Pro-Gly-L-Pro) ₂ by ¹ H-and ¹³ C-Nuclear Magnetic Resonance Spectroscopy, and Its Enantioface-Differentiating Ability	85
Ishizu,T., Hirayama,J., Noguchi,S., Iwamoto,H., Hirise,J., and Hiromi,K. : Preparation and Complex Formation of Cyclic Octapeptides Containing L-Proline Residues with Phenylalanine Methylester Hydrochloride	87
Hibino,S., Tonari,A., Choshi,T., and Sugino,E. : The New Approach to	

Antibiotic Carbazomycin. The Formal Total Synthesis of Carbazomycin A and B.....	89
Imamura, Y., Higuchi, T., Nozaki, Y., Sugino, E., Hibino, S., and Otagiri, M. : Purification and Properties of Carbonyl Reductase from Rabbit Kidney	90
Maeda, Y., Omoda, K., Konishi, T., Takahashi, M., Kihira, K., Hibino, S., and Tsukiai, S. : Effects of Aluminium-Containing Antacid on Bioavailability of Ofloxacin Following Oral Administration of Pivaloyloxymethyl Ester of Ofloxacin as Prodrug	92
Choshi, T., Tonari, A., Yoshioka, H., Harada, K., Sugino, E., and Hibino, S. : Synthesis of Mutagenic Heterocyclic Amines PhIP and DMIP	94
Choshi, T., Terazawa, C., Ohta, H., Kishida, M., Horimoto, S., and Takashina, S. : Development of the Measurment of Gliclazide in Serum by High-performance Liquid Chromatography Method and its Pharmacokinetics in Non-Insulin Dependent Diabetic Mellitus(NIDDM) Patients and NIDDM Patients with Liver Cirrhosis	95
Fukunaga, M., Sohnaka, M., and Yanagihara, Y. : Analysis of <i>Borrelia</i> species associated with Lyme disease by rRNA gene restriction fragment length polymorphism	97
Fukunaga, M., Sohnaka, M., Takahashi, Y., Nakao, M., and Miyamoto, K. : Antigenic and genetic characterization of <i>Borrelia</i> species isolated from <i>Ixodes Persulcatus</i> in Hokkaido, Japan	98
Fukunaga, M., Sohnaka, M., Nakao, M., and Miyamoto, K. : Evaluation of genetic divergence of borrelial isolates from Lyme disease patients in Hokkaido, Japan, by rRNA gene probes	99
Takahashi, Y., Sohnaka, M., Nakao, M., Miyamoto, K., and Fukunaga, M. : Characterization of <i>Borrelia</i> species isolated from ixodid ticks, <i>Ixodes ovatus</i>	100
Zhang, Y., Takahashi, Y., and Fukunaga, M. : Organization of ribosomal RNA genes in <i>Borrelia burgdorferi</i> sensu lato isolated from <i>Ixodes ovatus</i> in Japan	101
Sugihara, N., Furuno, K., Kita, N., Murakami, T., and Yata, N. : The Influence of Increased Plasma Protein Binding on the Disposition of	

Quinidine in Turpentine-Treated Rats	102
Sonoda,T., Kuroiwa,N., Kita,K., Morita,T., Ishijima,S., Ishizuka,T., Kato,N. Suzuki, N., Fujimura,S., and Tatibana,M. : Anti-tumor Effect of 5-FU and UFT : Comparative Studies of the Inhibitory Effects on DNA Synthesis and of the Metabolism I	104
Sonoda,T., Kuroiwa,N., Kita,K., Morita,T., Ishijima,S., Ishizuka,T., Kato,N., Suzuki,N., Fujimura,S., and Tatibana,M. : Anti-tumor Effect of 5-FU and UFT:Comparative Studies of the Inhibitory Effects on DNA Synthesis and of the Metabolism II Repeated administration	106
Fukui,N., Yoneyama,Y., Hasegawa,R., Haranaka,R., Nakagawa,S., and Morita,T. : Effects of Sho-saiko-to on the experimentally induced regenerating liver Part II :On the hepatic cell fissiparity	108
Morita,T., Mikami,F., Kanagawa,A., and Ueki,H. : Stimulatory Release of Hepatic Lipase Activity from Liver by Epidermal Growth Factor	110
Okamura,N., Yagi,A., Haraguchi,H., and Hashimoto,K. : Simultaneous High-Performance Liquid Chromatographic Determination of Altersolanol A, B, C, D, E, and F	111
Yagi,A., Okamura,N., Haraguchi,H., Abo,T., and Hashimoto,K. : Antimicrobial Tetrahydroanthraquinones from a strain of <i>Alternaria solani</i>	112
Yagi,A., Fukunaga,M., Akita,K., Fujimoto,K., and Okuzako,N. : Antifungal Pterocarpan Derivatives	113
Okamura,N., Haraguchi,H., Hashimoto, K., and Yagi,A. : Altersolanol - Related Antimicrobial Compounds from a Strain of <i>Alternaria solani</i>	114
Yoshitomi,H., Shizuku,Y., Masuda,Y., Itakura,R., Okamoto,S., Tomida, H., Nishihata, T., and Goto,S. : Evaluation of Enteric Coated Tablet Sensitive to Pancreatic Lipase II. <i>In Vivo</i> Evaluation	115

In Vivo Evaluation

Published in 1992

Akasaki,K., Kinoshita,H., Fukuzawa,M., Maeda,M., Yamaguchi,Y., Furuno,K., and Tsuji,H. : Isolation and characterization of a novel membrane glycoprotein of 85,000 molecular weight from rat liver lysosomes	117
Kita,N., Sugihara,N., and Furuno,K. : Accumulation of Propranolol in Cultured Rat Fibroblasts	119
Sugihara,N., Furuno,K., Kita,N., Murakami,T., and Yata,N. : Plasma α_1 -Acid Glycoprotein Concentration in Rats with Chemical Liver Injury	121
Sugihara,N., Furuno,K., Kita,N., Murakami,T., and Yata,N. : Distribution of Quinidine in Rats with Carbon Tetrachloride-Intoxicated Hepatic Disease	123