

CONTENTS

— Reviews —

Sera, S., Ikeda, H., and Goromaru, T.: Application of isotopic fractionation for tracer study	1
Tamura, Y., and Shiomi, H.: Glutamate neurotoxicity and endogenous neuroprotective Substance	16

— Orisinal articles —

Kaneo, Y., Ogawa, K., Tanaka, T., Fujihara, Y., and Iguchi, S.: A Protective Effect of Glutathione-Dextran Macromolecular Conjugates on Acetaminophen-Induced Hepatotoxicity Dependent on Molecular Size	38
Kaneo, Y., Ogawa, K., Tanaka, T., Fujihara, Y.: Properties of soluble glutathione-dextran conjugates as a macromolecular prodrug dependent on the linkage structure	40
Tanaka, T., Kaneo, Y., Miyashita, M., Shiramoto, S., Iguchi, S.: Tumor accumulation of serum albumin as drug carriers: Effect of acylation on its disposition in tumor bearing mice	42
Tomida, H., Nakamura, C., and Kiryu, S.: A Novel Method for the Preparation of Controlled-Release Theophylline Capsules Coated with a Polyelectrolyte Complex of κ -Carrageenan and Chitosan	44
Goromaru, T., Matsuki, K., and Matsuki, Y.: Gas Chromatographic-Mass Spectrometric Determination of ^{13}C -Glucose Level for Evaluating the Effect of α -Glucosidase Inhibitor Acarbose on the Digestion of $[\text{U-}^{13}\text{C}]$ Starch in Rat	45
Matsuki, Y., Kiwada, H., Sakurai, H., and Goromaru, T.: The Free Radical Formations of Hydrazine Derivatives and the Effects of Ascorbic Acid on Their Radical Formations	47
Matsuki, Y., Bandou, R., Kiwada, H., Maeda, H., and Goromaru, T.: Effect of Ascorbic Acid on Iproniazid-Induced Hepatitis in Phenobarbital-Treated Rats	49
Goromaru, T., and Maeda, H.: Isotopic Fractionation of Isopropylantipyrine and	

Its Deuterated Analogues by Capillary Gas Chromatography	51
Akaike, A., Kaneko, S., Tamura, Y., Nakata, N., Shiomi, H., Ushikubi, F., Narumiya, S.: Prostaglandin E ₂ protects cultured cortical neurons against N-methyl-D- aspartate receptor-mediated glutamate cytotoxicity	52
Shibuya, H., Ohashi, k., Narita, N., Ishida, T., and Kitagawa, I.: Chemical Transformation of Terpenoids. X. Ionophoretic Activities of Macrocyclic Lactone Epoxides Synthesized from Geraniol.	54
Kitagawa, I., Simanjuntak, P., Hori, K., Nagami, N., Mahmud, T., Shibuya, H., and Kobayashi, M.: Indonesian Medicinal Plants. VII. Seven New Clerodane-Type Diterpenoids, Peronemins A ₂ , A ₃ , B ₁ , B ₂ , B ₃ , C ₁ , and D ₁ from the Leaves of <i>Peronema canescens</i> (Verbenaceae)	55
Kitagawa, I., Mahmud, T., Simanjuntak, P., Hori, K., Uji, T. and Shibuya, H.: Indonesian Medicinal Plants. VIII. Chemical Structures of Three New Triterpenoids, Bruceajavanin A, Dihydrobruceajavanin A, and Bruceajavanin B, and a New Alkaloid Glycoside, Bruceacanthinoside, from the Stems of <i>Brucea javanica</i> (Simaroubaceae)	56
Ohashi, K., Kojima, H., Tanikawa, T., Okumura, Y., Kawazoe, K., Tatara, N., Shibuya, H., and Kitagawa, I.: Indonesian Medicinal Plants. IX. Chemical Structures of Gongganosides A, B, and C, Three New Quinovic Acid Glycosides from the Bark of <i>Bhesa paniculata</i> (Celastraceae) ...	58
Ohashi, K., Tanikawa, T., Okumura, Y., Kawazoe, K., Tatara, N., Minato, M., Shibuya, H. and Kitagawa, I.: Indonesian Medicinal Plants. X. Chemical Structures of Four New Triterpene-Glycosides, Gongganosides D, E, F, and G, and Two Secoiridoid-Glucosides from the Bark of <i>Bhesa paniculata</i> (Celastraceae)	59
Kitagawa, I., Simanjuntak, P., Watano, T., Shibuya, H., Fujii, S., Yamagata, Y., and Kobayashi, M.: Indonesian Medicinal Plants. XI. Chemical Structures of Caesaldekarins a and b, Two New Cassane-Type Furanoditerpenes from the Roots of <i>Caesalpinia major</i> (Fabaceae)	60
Kobayashi, M., Kanzaki, K., Katayama, S., Ohashi, K., Okuda, H., Ikegami, S., and Kitagawa, I.: Marine Natural Products. XXXIII. Theonellapeptolide IId, a New Tridecapeptide Lactone from the Okinawan Marine Sponge <i>Theonella swinhoei</i>	61
Ohashi, K., Watanabe, H., Okumura, Y., Uji, T., and Kitagawa, I.: Indonesian	

Medicinal Plants. X II. Four Isomeric Lignan-Glucosides from the Bark of <i>Aegle marmelos</i> (Rutaceae)	62
Tsuji, H., and Akasaki, K.: Identification and Characterization of Lysosomal Enzymes Involved in the Proteolysis of Phenobarbital-Inducible Cytochrome P450	63
Akasaki, K., Michihara, A., Fukuzawa, M., Kinoshita, H., and Tsuji, H.: Cycling of an 85-kDa Lysosomal Membrane Glycoprotein between the Cell Surface and Lysosomes in Cultured Rat Hepatocytes	65
Tsuruta, Y., Date, Y., Tonogaito, H., Sugihara, N., Furuno, K., and Kohasi, K.: Determination of Malondialdehyde by High-performance Liquid Chromatography Using 4-(2-Phthalimidyl)benzohydrazide as a Pre-column Fluorescent Labelling Reagent	67
Noguchi, S., Fujii, A., Hashitani, K., and Ishizu, T.: Reaction of Steroid-17 α - hydroxy-17-carboxylic Acids with Carbodiimides. Synthesis of Steroid-17- spiro-5'-[2'-imino-4'-oxazolidinones] and 17-Spiro-5'-[2',4'-oxazolidin- ediones]	69
Ishizu, T., Hirayama, J., and Noguchi, S.: Complex Formation of Cyclo(L-Phe-L-Pro) ₄ with Noradrenaline Hydrochloride	70
Harada, K., Choshi, T., Sugino, E., Sato, K., Hibino, S.: A New Route to Antibacterial Trimethoprim	71
Imamura, Y., Koga, T., Higuchi, T., Otagiri, M., Sugino, E., Hibino, S., Nagumo, S., Akita, H.: Catalytic Properties of Carbonyl Reductase from Rabbit Liver for Analogs of Acetohexamide and 4-Acetylpyridine	72
Nakao, M., Miyamoto, K., and Fukunaga, M.: Lyme disease spirochetes in Japan: Enzootic transmission cycles in birds, rodents, and <i>Ixodes</i> <i>persulcatus</i> ticks.	74
Nakao, M., Miyamoto, K., Fukunaga, M., Hashimoto, Y., and Takahashi, H.: Comparative studies on <i>Borrelia afzelii</i> isolated from a patient of Lyme disease, <i>Ixodes persulcatus</i> ticks, and <i>Apodemus speciosus</i> rodents in Japan	76
Fukunaga, M., and Takahashi, Y.: Pulsed field gel electrophoresis analysis of <i>Borrelia burgdorferi</i> sensu lato isolated in Japan and taxonomic implications with Lyme disease spirochetes	77
Nakao, M., Miyamoto, K., and Fukunaga, M.: <i>Borrelia japonica</i> in	

nature: Genotypic identification of spirochetes isolated from Japanese small mammals	78
Fukunaga, M.: Antigenic characterization of the <i>Borrelia burgdorferi</i> , a causative agent of Lyme disease	79
Sugihara, N., and Furuno, K.: Paragut-Induced Oxidative Injury in Cultured Rat Lipidic Hepatocytes	80
Furuno, K., Sugihara, N.: Effect of Cumene Hydroperoxide on Lipid Peroxidation in Cultured Rat Hepatocytes Supplemented with Eicosapentaenoic Acid	82
Sugihara, N., Tsuruta, Y., Date, Y., Furuno, K., Kohashi, K.: High Peroxidative Susceptibility of Fish Oil Polyunsaturated Fatty Acid in Cultured Rat Hepatocytes	84
Morita, T., Sakata, K., Kanagawa, A., and Ueki, H.: Stimulatory Release of Hepatic Lipase Activity from Cultured Rat Hepatocytes by Sodium Orthovanadate: Rapid Increase in Cyclic Adenosine Monophosphate Content	86
Morita, T., Kanagawa, A., Fujii, M., and Ueki, H.: Stimulatory Release of Lipoprotein Lipase Activity with Activation of Protein Tyrosine Kinase Produced by Low Molecular Weight Dextran Sulfate in Ehrlich Ascites Tumor Cells	88
Kanagawa, A., Morita, T.: Modulation of Lipoprotein Metabolism in Murine Colon 26 Adenocarcinoma	90
Yagi, A., Uemura, T., Okamura, N., Haraguchi, H., Imoto, T. and Hashimoto, K.: Antioxidative Sulphated Flavonoids in Leaves of <i>Polygonum Hydropiper</i>	91
Yagi, A., Akita, K., Ueda, T., Okamura, N., and Itoh, H.: Effect of a Peptide from <i>Panax ginseng</i> on the Proliferation of Baby Hamster Kidney-21 Cells ...	92
Yagi, A., Okamura, N., Tanonaka, K., and Takeo, S.: Effects of Tanshinone VI Derivatives on Post-Hypoxic Contractile Dysfunction of Perfused Rat Hearts	93
Yagi, A.: Review on Kami-kihi-to	95
Yagi, A., Haraguchi, H.: Antioxidative activity of spice plants	96
Yagi, A., Yokoyama (Morinobu), N., Okamura, N., Kanbara, T.: Inhibition of Mushroom-tyrosinase by <i>Angelica Keiskei Extract</i>	97

Okamura, N., Kobayashi, K., Akaike, A., and Yagi, A.: Protective Effect of Ginseng Saponins against Impaired Brain Growth in Neonatal Rats Exposed to Ethanol	98
Okamura, N., Fujimoto, Y., Kuwabara, S., and Yagi, A.: High-Performance Liquid Chromatographic Determination of Carnosic acid and carnosol in <i>Rosmarinus officinalis</i> and <i>Salvia officinalis</i>	99
Okamura, N., Haraguchi, H., Hashimoto, K., and Yagi, A.: Flavonoids in <i>Rosmarinus officinalis</i> leaves	100
Okamura, N., Kobayashi, K., and Yagi, A.: Effective Principles of Dried Yeast and Oysten Extracts against Impaired Brain Growth in Neonatal Rats Extracts to Ethanol.....	101
Peter R. Byron, Zhung Sun, Katayama, H., Frantisek Rypacek: Solute Absorption from the Airways of the Isolated Rat Lung. IV. Mechanisms of Absorption of Fluorophore-Labeled Poly- α , β -[N(2-Hydroxyethyl)-DL-Aspartamide]	102