

The Memoirs of Faculty of Engineering
 Fukuyama University
 The 13th issue, March, 1991

工学部生物工学科研究業績一覧
 (1986—1990)

遺伝子工学・分子生物学等分野

原著論文・総説等

- 1 T.Hisatomi, N.Yanagishima, and I.Ban-no: Induction of heterothallic strains and their genetic and physiological characterization in a homothallic strain of the yeast *Saccharomyces cerevisiae*. *Curr. Genet.* 10, 887—892 (1986)
- 2 A.Sakurai, H.Tanaka, Y.Esumi, N.Takahashi, T.Hisatomi, N.Yanagishima, and I.Ban-no: Isolation and amino acid sequence of a mating pheromone produced by mating type α cells of *Saccharomyces exiguus*. *FEBS Lett.* 203, 285—288 (1986)
- 3 I.Yamashita, D.Hirata, M.Machida, and S.Fukui: Cloning and expression in *Saccharomyces cerevisiae* of the secretable acid-protease gene from *Saccharomycopsis fibuligera*. *Agric. Biol. Chem.*, 50, 109—111 (1986)
- 4 I.Yamashita, K.Suzuki, and S.Fukui: Proteolytic processing of glucoamylase in the yeast *Saccharomyces diastaticus*. *Agric. Biol. Chem.*, 50, 475—482 (1986)
- 5 T.Miyakawa, T.Tachikawa, R.Akada, E.Tsuchiya, and S.Fukui: Involvement of Ca^{2+} /calmodulin in sexual differentiation induced by mating pheromone, rhodotorucine A, in *Rhodospiridium toruloides*. *J. Gen. Microbiol.*, 132, 1453—1457 (1986)
- 6 K.Okazaki, T.Takechi, N.Kambara, S.Fukui, and T.Kamiryo: Two acylcoenzyme A oxidases in peroxisomes of the yeast *Candida tropicalis*: Primary structures deduced from genomic DNA squence. *Proc. Natl. Acad. Sci.*, 83, 1232—1236 (1986)
- 7 E.Tsuchiya, and S.Fukui: Characteristic decrease of nuclear protein kinase activity in G1-arrested cells of *Saccharomyces cerevisiae*. *Agric. Biol. Chem.*, 50, 2963—2966 (1986)
- 8 T.Miyakawa, Y.Azuma, E.Tsuchiya, and S.Fukui: Involvement of cell surface proteins in sexual cell-cell interaction of *Tremella mesenterica*. *J. Gen. Microbiol.*, 133, 439—445 (1987)
- 9 M.Okamoto, S.Yamamoto, S.Fukui, and Y.Kobayashi: Identification of *spo-VE* gene product of *Bacillus subtilis*. *Agric. Biol. Chem.*, 51, 449—454 (1987)
- 10 T.Tachikawa, T.Miyakawa, E.Tsuchiya, and S.Fukui: A rapid and transient increase of cellular Ca^{2+} in response to mating pheromone in *Saccharomyces cerevisiae*. *Agric. Biol. Chem.*, 51, 1209—1211 (1987)
- 11 M.Okamoto, S.Fukui, and Y.Kobayashi: Stage-specific *in vitro* expression of the *Bacillus subtilis spoVE* gene. *Agric. Biol. Chem.*, 51, 1407—1415 (1987)
- 12 R.Akada, K.Minomi, I.Yamashita, T.Miyakawa, and S.Fukui: Cloning of a gene coding for rhodotorucine A, a farnesyl peptide, mating pheromone of *Rhodospiridium*

- toruloides*. Agric. Biol. Chem., 51, 1212–1215 (1987)
- 13 Y-K.Joeng, A.Imabayashi, T.Miyakawa, E.Tsuchiya, and S.Fukui: Interaction with phospholipids of a membrane thiol peptidase that is essential for the signal transduction of mating pheromone in *Rhodospodium toruloides*. Eur. J. Biochem., 169, 511–515 (1987)
 - 14 T.Miyakawa, T.Tachikawa, Y-K.Joeng, E.Tsuchiya, and S.Fukui: Inhibition of membrane Ca^{2+} -ATPase *in vitro* by mating pheromone in *Rhodospodium toruloides*, a heterobasidiomycetous yeast, Biochem. Biophys. Res. Commun., 143, 893–900 (1987)
 - 15 T.Itoh, I.Yamashita, and S.Fukui: Nucleotide sequence of the alpha-amylase gene (*ALPI*) in the yeast *Saccharomycopsis fibuligera*. FEBS letters, 219, 339–342 (1987)
 - 16 T.Miyakawa, M.Kaji, Y-K.Joeng, E.Tsuchiya, and S.Fukui: Purification and characterization of a Ca^{2+} -dependent membrane peptidase involved in the signaling of mating pheromone in *Rhodospodium toruloides*. J. Bacteriol., 169, 1626–1631 (1987)
 - 17 I.Yamashita, M.Nakamura, and S.Fukui: Gene fusion is a possible mechanism underlying the evolution of *STAI*. J. Bacteriol., 169, 2142–2147 (1987)
 - 18 T.Itoh, I.Ohtsuki, I.Yamashita, and S.Fukui: Nucleotide sequence of the glucoamylase gene (*GLUI*) in the yeast *Saccharomycopsis fibuligera*. J. Bacteriol., 169, 4171–4177 (1987)
 - 19 福井作蔵: 酵母における異性認識—性分化カスケード。微生物、3, 356–364 (1987)
 - 20 M.Tsuboi, and T.Takahashi: Genetic analysis of the non-sporulating phenotype of brewer's yeast. J. Ferment. Technol., 66, 605–613 (1988)
 - 21 T.Hisatomi, N.Yanagishima, A.Sakurai, and H.Kobayashi: Interspecific actions of α mating pheromones on the *a* mating-type cells of three *Saccharomyces* yeasts. Curr. Genet., 13, 25–27 (1988)
 - 22 N.Ishibashi, I.Ono, K.Kato, T.Shigenaga, I.Shinoda, H.Okai, and S.Fukui: Role of hydrophobic amino acid residue in the bitterness of peptides. Agric. Biol. Chem., 52, 91–94 (1988)
 - 23 N.Ishibashi, T.Kubo, M.Chino, H.Fukui, I.Shinoda, E.Kikuchi, H.Okai, and S.Fukui: Taste of proline-containing peptides. Agric. Biol. Chem., 52, 95–98 (1988)
 - 24 E.Tsuchiya, S.Shakutoh, T.Miyakawa, and S.Fukui: Characterization of a DNA uptake reaction through the nuclear membrane of isolated yeast nuclei. J.Bacteriol., 170, 547–552 (1988)
 - 25 D.Hirata, S.Fukui, and I.Yamashita: Nucleotide sequence of the secretable acid protease gene *PEPI* in the yeast *Saccharomycopsis fibuligera*. Agric. Biol. Chem., 52, 2647–2652 (1988)
 - 26 H.Matsuzaki, H.Araki, and Y.Ohshima: Gene conversion associated with site-specific recombination in yeast plasmid pSR1. Mol. Cell. Biol., 8, 955–962 (1988)
 - 27 赤田倫治、宮川都吉、福井作蔵: 酵母における性フェロモンの生合成・分泌。化学と生物、26, 640–647 (1988)
 - 28 T.Hisatomi, and M.Tsuboi: A DNA sequence in *Saccharomyces exiguus* is homologous with the *HO* gene of *Saccharomyces cerevisiae*. Curr. Genet., 15, 399–401 (1989)
 - 29 K.Yoshida, T.Hisatomi, and N.Yanagishima: Sexual behavior and its pheromonal regulation in ascosporogenous yeasts. J. Basic Microbiol., 29, 99–128 (1989)

- 30 M.Inui, S.Fukui, and I.Yamashita: Genetic control of *STAI* gene expression in yeast. *Agric. Biol. Chem.*, 53, 741–748 (1989)
- 31 M.Machida, I.Ohtsuki, S.Fukui, and I.Yamashita: Nucleotide sequence of the *Saccharomyopsis fibuligera* genes for extracellular beta-glucosidases as expressed in *Saccharomyces cerevisiae*. *Appl. Environ. Microbiol.*, 54, 3147–3150 (1989)
- 32 T.Miyakawa, Y.Oka, E.Tsuchiya, and S.Fukui: *Saccharomyces cerevisiae* protein kinase dependent on Ca^{2+} and calmodulin. *J. Bacteriol.*, 171, 1417–1422 (1989)
- 33 R.Akada, J.Kai, I.Yamashita, T.Miyakawa, and S.Fukui: Genomic organization of multiple genes coding for rhodotorucine A, a lipopeptide mating pheromone of the Basidiomycetous yeast *Rhodospiridium toruloides*. *Arch. Microbiol.*, 152, 484–487 (1989)
- 34 E.Tsuchiya, K.Hiraga, S.Fukui, and T.Miyakawa: Identification of a wheat-germ-agglutinin sensitive ATPase in yeast nuclei. *FEBS Letters*, 250, 285–288 (1989)
- 35 R.Akada, K.Minomi, J.Kai, I.Yamashita, T.Miyakawa, and S.Fukui: Multiple genes coding precursors of Rhodotorucine A, a farnesyl peptide mating pheromone of the basidiomycetous yeast *Rhodospiridium toruloides*. *Mol. Cell. Biol.*, 9, 3491–3498 (1989)
- 36 K.Sakai, S.Fukui, S.Yabuuchi, S.Aoyagi, and Y.Tsumura: Expression of the *Saccharomyces diastaticus STAI* gene in brewing yeasts. *J. Am. Soc. Brew. Chem.*, 47, 87–92 (1989)
- 37 T.Yagi, M.Kawaguchi, T.Hatano, F.Fukui, and S.Fukui: Production of ketoalkanes from fatty acid esters by a fungus, *Trichoderma*. *J. Ferment. Bioeng.*, 68, 188–192 (1989)
- 38 宮川都吉、土屋英子、福井作蔵：酵母における性フェロモンのシグナル伝達。化学と生物、27, 20–27 (1989)
- 39 福井作蔵：アルコール発酵性酵母の分子育種。日農化、63, 1023–1027 (1989)
- 40 H.Matsuzaki, R.Nakajima, J.Nishiyama, H.Araki, and Y.Oshima: Chromosome engineering in *Saccharomyces cerevisiae* by using a site-specific recombination system of a yeast plasmid. *J. Bacteriol.*, 172, 610–618 (1990)
- 41 Y.Liu, O.Ohki, Y.Azuma, T.Tachikawa, E.Tsuchiya, S.Fukui, and T.Miyakawa: Calmodulin and calmodulin-binding proteins of *Rhodospiridium toruloides*, a basidiomycetous yeast. *J. Gen. Microbiol.*, 136, 131–136 (1990)
- 42 M.Kawaguchi, T.Hatano, T.Yagi, T.Miyakawa, and S.Fukui: Triglyceride-binding proteins in the culture fluid of a triglyceride-using fungus strain, SM-30. *J. Ferment. Bioeng.*, 70, 80–84 (1990)
- 43 T.Yagi, M.Kawaguchi, T.Hatano, F.Fukui, and S.Fukui: Screening of methylketone-accumulating fungi from type culture strains. *J. Ferment. Bioeng.*, 70, 94–99 (1990)
- 44 T.Yagi, A.Hatano, M.Kawaguchi, T.Hatano, F.Fukui, and S.Fukui: Methylketone fermentation from palm-kernel oil by *Penicillium decumbens* IFO7091. *J. Ferment. Bioeng.*, 70, 100–103 (1990)
- 45 吉田和夫、藤村裕明、久富泰資：酵母の性の分子生物学——子囊酵母の種・属間性的相互作用。蛋白質・核酸・酵素、34, 773–787 (1989)
- 46 大嶋泰治、原島 俊、松崎浩明、小川暢男、林 直之：酵母の分子生物学的技法。蛋白質・核酸・酵素、35, 2523–2541 (1990)

- 47 福井作蔵：新機能酵母の検索と育種。バイオサイエンスとインダストリー、48, 957-962 (1990)
- 48 秦野琢之、福井作蔵：セルロース発酵性酵母——資化性酵母のスクリーニングと遺伝子導入による改良。化学と生物、28, 773-774 (1990)

著書

- 1 福井作蔵、山下一郎：Saccharomyces diastaticus のグルコアミラーゼ遺伝子のクローニング、構造および発現。永井 進編 酵母の細胞工学と育種、学会出版センター、東京、pp.167-186 (1986)
- 2 土屋英子、福井作蔵：Saccharomyces cerevisiae の核機能——DNA複製の場としての構造とその機能発現。永井 進編 酵母の細胞工学と育種、学会出版センター、東京、pp.283-302 (1986)
- 3 天羽幹夫、小石川仁治、能美良作、福井作蔵：新版精鋭応用微生物学、光生館、東京、pp.131-156 (1986)
- 4 福井作蔵：微生物の生化学、岡見吉郎、権田金治、清水 潮、都留信也、堀越弘毅編、最新微生物ハンドブック、サイエンスフォーラム、東京、pp.30-37 (1986)
- 5 宮川都吉、赤田倫治、福井作蔵：異担子菌酵母における性情報の発信と受信。枡倉辰六郎編 酵母のバイオサイエンス——伝統と新展開、学会出版センター、東京、pp.81-95 (1990)
- 6 福井作蔵：遺伝子組換えによる異種蛋白質の分泌生産。秋山 裕監修バイオインダストリー編 酵母ニューバイオテクノロジー、医学出版センター、東京、pp.73-89 (1990)
- 7 福井作蔵：染色体機能の研究技法。秋山 裕監修バイオインダストリー編 酵母ニューバイオテクノロジー、医学出版センター、東京、pp.302-312 (1990)
- 8 松崎浩明、大嶋泰治：酵母における染色体改変技法。秋山 裕監修バイオインダストリー編 酵母のニューバイオテクノロジー、医学出版センター、東京、pp.324-331 (1990)
- 9 福井作蔵：還元糖の定量 (第2版)、学会出版センター、東京 (1990)

特許

- 1 福井作蔵、八木 隆、福井史生：発酵法によるメチルケトン及び/またはその対応アルコールの製造、公開特許公報(A) 平2-265495 pp.653-665 (1990)

細胞工学等分野

原著論文・総説等

- 1 H.Haraguchi, O.Soga, and M.Taniguchi: Respiratory inhibition by the antifungal benzoquinone, 2-hydroxy-6-methoxy-3,5-dimethyl-1,4-benzoquinone. Agric. Biol. Chem., 50, 1905-1907 (1986)
- 2 M.Nakatani, Y.Fukunaga, H.Haraguchi, M.Taniguchi, and T.Hase: Synthesis and biological activities of acetylenic fatty acids and their esters. Bull. Chem. Soc. Jpn., 59, 3535-3539 (1986)
- 3 K.Utsumi, E.Sato, E.Okimasu, M.Miyahara, R.Takahashi: Calcium-dependent association of 33 kDa protein in polymorphonuclear leukocytes with phospholipid liposomes containing phosphatidylserine or cardiolipin. FEBS Letters, 201, 277-281 (1986)
- 4 E.Okimasu, Y.Fujii, T.Utsumi, M.Yamamoto, and K.Utsumi: Cytoplasmic proteins, association with phospholipid vesicles and its dependency on cholesterol. Cell Struct.

- Funct., 11, 273–283 (1986)
- 5 S.Watanabe, Y.Takehara, Y.Fujii, E.Okimasu, Y.Moromizato, and J.Sasaki: Fluorescence and electron microscopic study of intracellular F-actin in concanavalin A-treated and cytochalasin B-treated Ehrlich ascites tumor cells. *Acta Med. Okayama*, 40, 301–311 (1986)
 - 6 沖増英治、昇 公一、小林純郎、洲崎悦子、内海耕礎：TPP⁺電極によるエールリッヒ腹水癌細胞の膜電位測定と代謝に共役した変化。高知医科大学一般教育紀要、2, 41–49 (1986)
 - 7 H.Haraguchi, K.Hashimoto, K.Shibata, M.Taniguchi, and S.Oi: Mechanism of antifungal action of citrinin. *Agric. Biol. Chem.*, 51, 1373–1378 (1987)
 - 8 H.Haraguchi, T.Tanaka, M.Taniguchi, S.Oi, and K.Hashimoto: Inhibitory effects of citrinin on mitochondrial function. *Agric. Biol. Chem.*, 51, 1453–1454 (1987)
 - 9 M.Miyahara, S.Watanabe, E.Okimasu, and K.Utsumi: Charge-dependent regulation of NADPH oxidase activity in guinea-pig polymorphonuclear leukocytes. *Biochim. Biophys. Acta*, 929, 253–262 (1987)
 - 10 E.Okimasu, K.Kobori, S.Kobayashi, E.Suzaki, S.Terada, and K.Utsumi: Inhibitory effect of cholesterol on interaction between cytoplasmic actin and liposomes, and restorative effect of high osmotic pressure. *Cell Struct. Funct.*, 12, 187–195 (1987)
 - 11 M.Yamamoto, E.Okimasu, S.Terada, and K.Utsumi: Mechanism of polymorphonuclear leukocyte activation by myristate. Involvement of calcium ion and protein kinase C. *Cell Struct. Funct.*, 12, 357–367 (1987)
 - 12 K.Nobori, E.Okimasu, E.F.Sato, and K.Utsumi: Activation of protein kinase C with cardiolipin-containing liposomes in relation to membrane protein interaction. *Cell Struct. Funct.*, 12, 375–385 (1987)
 - 13 M.Taniguchi, Y.Yano, E.Tada, K.Ikenishi, S.Oi, H.Haraguchi, K.Hashimoto, and I.Kubo: Mode of action of polygodial, an antifungal sesquiterpene dialdehyde. *Agric. Biol. Chem.*, 52, 1409–1414 (1988)
 - 14 M.Taniguchi, Y.Yano, K.Motoba, T.Tanaka, S.Oi, H.Haraguchi, K.Hashimoto, and I.Kubo: Polygodial-induced sensitivity to rifampicin and actinomycin D of *Saccharomyces cerevisiae*. *Agric. Biol. Chem.*, 52, 1881–1883 (1988)
 - 15 橋本研介：農薬の過去と現在 — 安全対策を中心に。福山大学人間科学センター紀要 3, 100–115 (1988)
 - 16 C.Koseki, Y.Yamaguchi, M.Furusawa, and H.Endou: Isolation by monoclonal antibody of intercalated cells of rabbit kidney. *Kidney International*, 33, 543–554 (1988)
 - 17 M.Miyahara, E.Okimasu, H.Uchida, E.F.Sato, M.Yamamoto, and K.Utsumi: Charge-dependent regulation of NADPH oxidase activities in intact and subcellular systems of polymorphonuclear leukocytes. *Biochim. Biophys. Acta*, 971, 46–54 (1988)
 - 18 T.Utsumi, K.Yoshinaga, D.Koga, A.Ide, K.Nobori, E.Okimasu, S.Terada, and K.Utsumi: Association of myristoylated protein with a biological membrane and its increased phosphorylation by protein kinase C. *FEBS Letters*, 238, 13–16 (1988)
 - 19 M.Tsuchiya, E.Okimasu, W.Ueda, M.Hirakawa, and K.Utsumi: Halothane, an inhalation anesthetic, activates protein kinase C and superoxide generation by neutrophils. *FEBS Letters*, 242, 101–105 (1988)

- 20 E.F.Sato, E.Okimasu, R.Takahashi, M.Miyahara, T.Matsuno, and K.Utsumi: Lipocortin-like 33kDa protein of guinea pig neutrophil. Its distribution and stimulation-dependent translocation detected by monoclonal anti-33kDa protein antibody. *Cell Struct. Funct.*, 13, 89-96 (1988)
- 21 E.Suzaki, B.Inoue, E.Okimasu, M.Ogata, and K.Utsumi: Stimulative effect of chlordane on the various functions of the guinea pig leukocytes. *Toxicol. Appl. Pharmacol.*, 93, 137-145 (1988)
- 22 沖増英治: 細胞質蛋白-生体膜脂質相互作用解析の新しい実験法。高知医科大学一般教育紀要、4, 99-106 (1988)
- 23 Y.Yano, M.Taniguchi, E.Tada, T.Tanaka, S.Oi, H.Haraguchi, and K.Hashimoto: Potentiation by polygodial of the respiration inhibiting activity of Maesanin in *Candida utilis*. *Agric.Biol. Chem.*, 53, 1525-1530 (1989)
- 24 H.Haraguchi, M.Taniguchi, T.Tanaka, S.Oi, and K.Hashimoto: Citrinin an electron acceptor having antifungal activity. *Agric. Biol. Chem.*, 53, 1741-1742 (1989)
- 25 K.Furuno, T.Ishikawa, K.Akasaki, S.Yano, Y.Tanaka, Y.Yamaguchi, H.Tsuji, M.Himeno, and K.Kato: Morphological localization of a major lysosomal membrane glycoprotein in the endocytic membrane system. *J. Biochem.*, 106, 708-716 (1989)
- 26 K.Furuno, S.Yano, K.Akasaki, Y.Tanaka, Y.Yamaguchi, H.Tsuji, M.Himeno, and K.Kato: Biochemical analysis of the movement of a major lysosomal membrane glycoprotein in the endocytic membrane system. *J. Biochem.*, 106, 717-722 (1989)
- 27 H.Haraguchi, M.Taniguchi, K.Motoba, K.Shibata, S.Oi, and K.Hashimoto: Chrysodin, an antifungal antimetabolite. *Agric. Biol. Chem.*, 54, 2167-2168 (1990)
- 28 H.Haraguchi, M.Taniguchi, Y.Yano, T.Tanaka, S.Oi, and K.Hashimoto: Mode of the antifungal action of chrysodin in *Candida albicans*. *Agric. Biol. Chem.*, 54, 2417-2422 (1990)
- 29 M.Kurashige, E.Okimasu, M.Inoue, and K.Utsumi: Inhibition of oxidative injury of biological membranes by astaxanthin. *Physiol. Chem. Phys. & Med. NMR*, 22, 27-38 (1990)
- 30 K.Akasaki, Y.Yamaguchi, M.Ohta, F.Matsuura, K.Furuno, and H.Tsuji: Purification and characterization of a major glycoprotein in rat liver lysosomal membrane. *Chem. Pharm. Bull.*, 38, 2766-2770 (1990)

著書等

- 1 M.Miyahara, M.Takahashi, H.Kawashima, E.Okimasu, K.Nobori, H.Yamamoto, S.Kobayashi, and K.Utsumi: Anoxia-induced mitochondrial dysfunction and its improvement by drugs. *Cytoprotectin and Cytobiology*, vol.3, ed. by M.Tsuchiya Excerpta Medica, Tokyo, pp.168-174 (1986)
- 2 N.Nobori, S.Kobayashi, E.Okimasu, K.Edashige, M.Takahashi, M.Miyahara, and K.Utsumi: Hypotonicity-induced superoxide generation in PMNs — Stimulation of superoxide generation by hypotonic treatment on polymorphonuclear leukocytes and its inhibition by drugs. *Cytoprotection and Cytobiology*, vol. 5, ed. by K.Kawai, Cytomedica, London, pp.219-225 (1988)
- 3 高橋俊明: 突然変異によるビール酵母の育種。津村新蔵、板野 徹編、フーズバイオテクノロジー

- 事典、産業調査会事典出版センター、東京、pp.336-338 (1988)
- 4 高橋俊明：日本微生物学協会編、微生物学辞典、技報堂出版、東京 (1989)
- 5 高橋俊明：突然変異によるビール酵母の育種。内田金治、高橋康次郎、原 昌道、吉沢 淑編、醸造におけるバイオテクノロジー、産業調査会、東京、pp.64-66 (1990)

微生物工学等分野

原著論文・総説等

- 1 Y.Fujita, J.Nihashi, and T.Fujita: The characterization and cloning of a gluconate (*gnt*) operon of *Bacillus subtilis*. J. Gen. Microbiol., 132, 161-169 (1986)
- 2 Y.Fujita, and T.Fujita: Identification and nucleotide sequence of the promoter region of the *Bacillus subtilis* gluconate operon. Nucl. Res., 14, 1237-1252 (1986)
- 3 Y.Fujita, T.Fujita, Y.Miwa, J.Nihashi, and Y.Aratani: Organization and transcription of the gluconate operon, *gnt*, of *Bacillus subtilis*. J. Biol. Chem., 261, 13744-13753 (1986)
- 4 K.Miyauchi, M.Ogawa, T.Shibata, K.Matsuda, T.Mori, N.Minamiura, and T.Yamamoto: Development of a radio-immunoassay for human deoxyribonuclease I. Clinica Chimica Acta, 154, 115-123 (1986)
- 5 藤田泰太郎、三輪泰彦：Genomic Sequencing 法 — DNAと蛋白質の相互作用の解析。代謝, 23, 293 (1986)
- 6 Y.Fujita, and T.Fujita: The gluconate operon *gnt* of *Bacillus subtilis* encodes its own transcriptional negative regulator. Proc. Natl. Acad. Sci. USA, 84, 4524-4528 (1987)
- 7 Y.Miwa, and Y.Fujita: Efficient utilization and operation of the gluconate-inducible system of promoter of the *Bacillus subtilis gnt* operon in *Escherichia coli*. J. Bacteriol., 169, 5333-5335 (1987)
- 8 山本武彦、増本美佐子、川崎浩子、久保田明正：無蒸煮穀類種実のアルコール発酵とそれに及ぼす2、3酵素の影響について。澱粉科学, 34, 93-97 (1987)
- 9 K.Ito, T.Yamamoto, and N.Minamiura: Phosphodiesterase I in human urine. J. Biochem., 102, 359-367 (1987)
- 10 Y.Miwa, and Y.Fujita: Purification and characterization of a repressor for the *Bacillus subtilis gnt* operon. J. Biol. Chem., 263, 13252-13257 (1988)
- 11 S.Kobayashi, K.Yoshida, K.Ueda, H.Sakai, and T.Komano: DNA damage caused by ascorbate in the presence of Cu^{2+} induces mutations. Nucleic Acids Res., 19, 29-32 (1988)
- 12 藤田泰太郎：枯草菌のグルコン酸オペロン — グラム陽性菌の酵素誘導のモデルとして。生化学, 60, 436-441 (1988)
- 13 久保田昭正、沖 裕治、野木典子、谷尻真治、山本武彦：無蒸煮穀類を用いた食酢の製造、日農化, 53, 975-977 (1988)
- 14 Y.Fujita, and Y.Miwa: Identification of an operator sequence for the *Bacillus subtilis gnt* operon. J. Biol. Chem., 264, 4201-4206 (1989)
- 15 Y.Fujita, and T.Fujita: Effect of mutations causing gluconate kinase or gluconate permease deficiency on expression of the *Bacillus subtilis gnt* operon. J. Bacteriol., 171, 1751-1754 (1989)

- 16 K.Yoshida, Y.Matsushima, K.Sen, H.Sakai, and T.Komano: Insecticidal activity of a peptide containing 30th to 695th amino acid residues of the 130-kDa protein of *Bacillus thuringiensis* var. *israelensis*. *Agric. Biol. Chem.*, 53, 2121–2127 (1989)
- 17 K.Yoshida, K.Sen, H.Sakai, and T.Komano: Expression of the two 130-kDa protein genes of *Bacillus thuringiensis* var. *israelensis*. *Agric. Biol. Chem.*, 53, 3033–3035 (1989)
- 18 藤田泰太郎: 枯草菌孢子形成の制御 — 細胞分化に伴う遺伝子発現機構のモデル。微生物, 5, 301–312 (1989)
- 19 S.Sakanaka, M.Kim, M.Taniguchi, and T.Yamamoto: Antibacterial substances in Japanese green tea extract against *Streptococcus mutans*, a cariogenic bacterium. *Agric. Biol. Chem.*, 53, 2307–2311 (1989)
- 20 H.Kawaguchi, M.Kim, M.Ishida, Y.Ahn, T.Yamamoto, R.Yamaoka, M.Kozuka, K.Goto, and S.Takahashi: Several antifeedants from *Phellodendron amurense* against *Reticulitermes speratus*. *Agric. Biol. Chem.*, 53, 2635–2640 (1989)
- 21 Y.Ahn, M.Iizuka, N.Minamiura, and T.Yamamoto: Evidence for the existence of an active monomer of sweet potato β -amylase. *Agric. Biol. Chem.*, 53, 3109–3110 (1989)
- 22 W.Basuki, M.Iizuka, K.Furuichi, N.Minamiura, and T.Yamamoto: Comparison of the enzymatic isomerization of glucose produced by porcine serum α -glucosidase and *Rhizopus* glucoamylase. *Agric. Biol. Chem.*, 53, 3341–3342 (1989)
- 23 溝上恭平: 因島周辺の海産業、特に雑魚産業の将来に対する一提案。福山大学人間科学研究センター紀要, 4, 103–113 (1989)
- 24 Y.Fujita, T.Fujita, and Y.Miwa: Evidence for posttranscriptional regulation of synthesis of the *Bacillus subtilis* *gnt* repressor. *FEBS Lett.*, 267, 71–74 (1990)
- 25 Y.Miwa, and Y.Fujita: Determination of the *cis* sequence involved in catabolite repression of the *Bacillus subtilis* *gnt* operon; Implication of a consensus sequence in catabolite repression in the genus *Bacillus*. *Nucleic Acids Res.*, 18, 7049–7053 (1990)
- 26 三輪泰彦: 枯草菌グルコン酸オペロンの誘導系の研究。日本産業科学研究所報告 5号, 41–53 (1990)
- 27 駒野 徹、吉田健一: 細菌が生産する殺虫性タンパク質とその遺伝子。化学, 45, 424–425 (1990)
- 28 千 菊夫、吉田健一: *B. thuringiensis* var. *israelensis* の殺虫活性と分子生物学。日農化, 64, 1612–1615 (1990)
- 29 R.Su. M.Kim, H.Kawaguchi, T.Yamamoto, K.Goto, T.Tagata, Y.Miwa, M.Kozuka, and S.Takahashi: Triterpenoides from the fruits of *Phellodendron chinense* Schneid: The stereostructure of Niloticin. *Chem. Pharm. Bull.*, 38, 1616–1619 (1990)
- 30 Y.Ann, M.Iizuka, T.Yamamoto, and N.Minamiura: Active monomer of sweet potato β -amylase: Stabilization and an improved preparation method using α -cyclodextrin. *J. Ferment. Bioeng.*, 70, 75–79 (1990)
- 31 T.Yamamoto, I.Miyahara, S.Yamamoto, K.Fujita, and K.Mizokami: α -amylase of *Rhizopus niveus*: Its isolation and some properties. *Denpun Kagaku*, 37, 129–136 (1990)
- 32 Y.Ann, M.Kim, T.Yamamoto, T.Fujisawa, and T.Mitsuoka: Selective growth responses of human intestinal bacteria to *Araliaceae* extracts. *Microbial Ecology in*

- Health and Disease, 3, 223–229 (1990)
- 33 T.Ebina, K.Tsukada, K.Umezu, M.Nose, K.Tsuda, H.Hatta, M.Kim, and T.Yamamoto: Gastroenteritis in sucking mice caused by human rotavirus can be prevented with egg yolk immunoglobulin (IgY) and treated with a protein-bound polysaccharide preparation (PSK). *Microbiol. Immunol.*, 34, 617–629 (1990)
 - 34 H.Hatta, M.Kim, T.Yamamoto: A novel isolation method for hen egg yolk antibody, “IgY”. *Agric. Biol. Chem.*, 54, 2531–2535 (1990)
 - 35 S.Sakanaka, T.Sato, M.Kim, and T.Yamamoto: Inhibitory effects of green tea polyphenols on glucan synthesis and cellular adherence of carcinogenic *Streptococci*. *Agric. Biol. Chem.*, 54, 2925–2929 (1990)
 - 36 R.H.Su, M.Kim, T.Yamamoto, and S.Takahashi: Antifeeding constituents of *Phellodendron chinense* fruit against *Reticuliterms speratus*. *J. Pesticide Sci.*, 15, 567–572 (1990)
 - 37 M.Iizuka, M.Hiyama, K.Itaya, K.Furuichi, Y.Ann, N.Munamiura, and T.Yamamoto: Susceptibility of leucrose to carbohydrases. *J. Ferment. Bioeng.*, 70, 277–279 (1990)
 - 38 山本武彦、山本 覚、宮原 泉、松村芳一、平田 敢、金 武祥：グァーガムの酵素分解と分解生成物の性質。澱粉科学, 37, 99–105 (1990)
 - 39 伊藤浩司、大井 進、武田友四郎、大久保忠旦、星野正生、宮城悦生、沼口寛次、稲永 忍、外山信男、永井史郎、村田吉男、山本武彦：ネピアグラスのメタン原料としての利用性。日本作物学会紀事, 59, 239–244 (1990)

著書等

- 1 T.Yamamoto: Handbook of amylases and related enzymes, ed. by the amylase research society of Japan, Pergamon Press, Oxford, New York, Beijing, Frankfurt, Sao Paulo, Sydney, Tokyo, Tronto (1988)
- 2 K.Mizokami: *Streptococcus bovis* α -amylase. In Handbook of amylases and related enzymes, ed. by the amylase research society of Japan, Pergamon Press, Oxford et al., pp.49–50 (1988)
- 3 T.Yamamoto: Arabinogalactanase of *Bacillus subtilis* var. *amylosacchariticus*. In Methods in Enzymology, ed. by W.A.Wood, and S.T.Kelligg, Academic Press, New York et al., vol.160, pp.719–725 (1988)
- 4 T.Yamamoto: Anaerobic digestion of C₄ grasses for production of methane and organic acid. In International Biosystems ed. by D.L.Wise, vol.3, chapter 8 (1988)

特許

- 1 溝上恭平、法月郁朗：パプ化澱粉の製造法、昭61–173757
- 2 溝上恭平、法月郁朗： α 化米の製法、昭63–7755
- 3 溝上恭平：雑穀類の品質改良法、昭63–14670
- 4 溝上恭平：コーヒー豆の焙焼方法、昭63–14659
- 5 溝上恭平、法月郁朗： α 化澱粉の製造法、昭63–49054

生化学工学等分野

原著報文・総説等

- 1 A. Amemura, J. Cabrera-Crespo: Extracellular oligosaccharides and low molecular-weight polysaccharide containing (1-2)- β -D-glucosidic linkages from strains of *Xanthomonas*, *Escherichia coli*, and *Klebsiella pneumoniae*. J. Gen. Microbiol., 132, 2443-2452 (1986)
- 2 M. Yoshimoto, E. Kusunose, S. Yamamoto, M. Maekawa, and M. Kusunose: Purification and characterization of two forms of cytochrome P-450 from rat kidney cortex microsomes. Biochem. Int., 13, 749-755 (1986)
- 3 S. Yamamoto, E. Kusunose, M. Kaku, K. Ichihara, and M. Kusunose: Effect of peroxisomal proliferators on microsomal prostaglandin A ω -hydroxylase. J. Biochem., 100, 175-181 (1986)
- 4 S. Yamamoto, E. Kusunose, S. Matsubara, K. Ichihara, and M. Kusunose: Occurrence of cytochrome P-450 with prostaglandin E ω -hydroxylase activity in rabbit placental microsomes. J. Biochem., 100, 175-181 (1986)
- 5 E. C. Yurewicz, F. Matsuura, K. S. Moghissi: Structural studies of sialylated oligosaccharides of human midcycle cervical mucin. J. Biol. Chem., 262, 4733-4739 (1987)
- 6 A. Amemura, J. Cabrera-Crespo, M. Maeda, and M. Futai: Changes in morphology of J774.1 macrophage-like cells and release of prostaglandin E₂ induced by bacterial acidic polysaccharides. Agric. Biol. Chem., 51, 2649-2656 (1987)
- 7 S. Matsubara, S. Yamamoto, K. Sogawa, N. Yokotani, Y. Fujii-Kuriyama, M. Haniu, J. E. Shivery, O. Gotoh, E. Kusunose, and M. Kusunose: cDNA cloning and inducible expression during pregnancy of the mRNA for rabbit pulmonary prostaglandin ω -hydroxylase (cytochrome P-450p-2). J. Biol. Chem., 262, 13366-13371 (1987)
- 8 A. Amemura, R. Chakraborty, M. Fujita, T. Noumi, and M. Futai: Cloning and nucleotide sequence of the isoamylase gene from *Pseudomonas amyloclavata* SB15. J. Biol. Chem., 263, 9271-9275 (1988)
- 9 M. Kuki, T. Noumi, A. Amemura, and M. Futai: Functional domains of ϵ -subunit of *Escherichia coli* H⁺-ATPase (F₀ F₁). J. Biol. Chem., 263, 17437-17442 (1988)
- 10 F. Matsuura, and A. Imaoka: Chromatographic separation of asparagine-linked oligosaccharides labeled with an ultraviolet-absorbing compound, *p*-aminobenzoic acid ethyl ester. Glycoconjugate J., 5, 13-26 (1988)
- 11 山本 寛: プロスタグランジン ω -水酸化活性を有するチトクロームp-450について。福山大学工学部紀要, 10, 9-17 (1988)
- 12 M. Fujita, K. Torigoe, T. Nakada, K. Tsusaki, M. Kubota, S. Sakai, and Y. Tsujisaka: Cloning and nucleotide sequence of the gene (*amyP*) for maltotetraose-forming amylase from *Pseudomonas stutzeri* MO-19. J. Bacteriol., 171, 1333-1339 (1989)
- 13 M. Fujita, A. Amemura, and M. Futai: Transcription of the isoamylase gene (*iam*) in *Pseudomonas amyloclavata* SB-15. J. Bacteriol., 171, 4320-4325 (1989)
- 14 M. Fujita, M. Kubota, M. Futai, and A. Amemura: Identification and DNA sequence of a new plasmid (pPST1) in *Pseudomonas stutzeri* MO-19. Plasmid, 22, 271-274 (1989)
- 15 S. Shigeta, K. Ono, M. Ohta, Y. Kobayashi, and S. Oka: N-acetylgalactosaminyl disaccharide terminals contained in presumed carbohydrate epitopes specific to sea-

- squirt allergy. J. Biochem., 105, 691–696 (1989)
- 16 M.Ohta, S.Shigeta, K.Ono, T.Takao, Y.Shimonishi, and S.Oka: Sugar sequences of allergenically active oligosaccharide alcohols isolated from a large-molecular-size sea squirt antigen termed H-antigen. Arch. Biochem. Biophys., 275, 151–165 (1989)
 - 17 M.Fujita, M.Futai, and A.Amemura: In vivo expression of the *Pseudomonas stutzeri* maltotetraose-forming amylase gene (*amyP*). J. Bacteriol., 172, 1595–1599 (1990)
 - 18 M.Fujita, S.Sakai, M.Futai, and A.Amemura: Characterization of an isoamylase-hyperproducing mutant of *Pseudomonas amyloclavata*. Agric. Biol. Chem., 54, 2315–2321 (1990)
 - 19 雨村明倫、藤田昌也: *Pseudomonas* イソアミラーゼの一次構造と遺伝子発現。生化学, 62, 180–184 (1990)
 - 20 A.Amemura, and M.Fujita: *Pseudomonas* isoamylase: Its primary structure and gene expression. 日本産業科学研究所報告, 5, 54–62 (1990)
 - 21 藤田昌也: シュードモナス細菌のイソアミラーゼとマルトテトラオース生成アミラーゼの一次構造と遺伝子発現。福山大学工学部紀要, 12, 189–200 (1990)
 - 22 M.Ohta, M.Kobatake, A.Matsumura, and F.Matsuura: Separation of Asn-linked sialyl-oligosaccharides labeled with *p*-aminobenzoic acid ethyl ether by high-performance liquid chromatography. Agric. Biol. Chem., 54, 1045–1047 (1990)
 - 23 S.Shigeta, M.Okamura, M.Tsutsumi, K.Ono, M.Ohta, F.Matsuura, T.Takao, and S.Oka: Structure of an allergenic pentasacchritol, Gp-1 β -b6, isolated from a sea squirt antigen, Gi-rep, as a minimum structural unit responsible for its allergenicity. J. Biochem., 108, 47–52 (1990)
 - 24 K.Akasaki, Y.Yamaguchi, M.Ohta, F.Matsuura, K.Furuno, and H.Tsuji: Purification and characterization of a major glycoprotein in rat liver lysosomal membrane. Chem. Pharm. Bull., 38, 2766–2770 (1990)
 - 25 R.Yoshimura, E.Kusunose, N.Yokotani, S.Yamamoto, I.Kubota, and M.Kusunose: Purification and characterization of two forms of fatty acid ω -hydroxylase cytochrome P-450 from rabbit kidney cortex microsomes. J. Biochem., 108, 544–548 (1990)
 - 26 松浦史登: 先天性糖タンパク質代謝異常 — β -マンノシドーシス。日本応用酵素協会誌, 25, 38–50 (1990)

特許等

- 1 雨村明倫、二井将光: イソアミラーゼ活性を有するポリペプチドとその用途。公開特許公報(A)、平1-199577, pp.523–537 (1989)
- 2 雨村明倫、加古尚久、赤野裕文、佐藤 猛、奥村 一、川村吉也: 多糖類及びその製造方法。公開特許公報(A)、平2-92901, pp.1–10(1990)